



Cordless Circular Saw

DHS782 190 / 185 mm (7-1/2" / 7-1/4")

DHS783 190 / 185 mm (7-1/2" / 7-1/4") **AWS**

Satisfy Professional's Needs



Guide rail compatible base for easy and accurate cutting



DHS783 only

High power similar to AC tool

Dust nozzle
is attachable for connecting to vacuum cleaner.



Up to


175 cuts

in 2 x 10 SPF 900mm (ripping)
with 2xBL1850B (5.0Ah) batteries

Blower function



Twin LED Job light



Max. bevel capacity



Positive stop for
bevel adjustment at
22.5 degrees and 45
degrees


**BL
MOTOR**

ADT Automatic torque Drive Technology



automatically changes the cutting speed according to load conditions for an optimum operation:

- On light duty: high-speed rotation mode
- On heavy duty: high torque mode



AWS Auto-start Wireless System (DHS783 only)

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



Wireless unit is compatible with all supported tools

Accessories

Clamp set



Bevel guide set

Adjustable angle of Guide rail



Hook set

3"x lumber (65mm) width



Guide rail bag

For 1.4m, 1.5m Guide rail



Guide rail Joint connector 2pc set



Specialized EFFICUT blade



Size (mm)	Part No.
185 x 1.45 x 20 x 24T	B-62022
190 x 1.45 x 30 x 24T	B-64185

Guide rail



Overall length (m)	Part No.
1	199140-0
1.4	194368-5
1.5	199141-8
1.9	194925-9
3	194367-7

Cordless Circular Saw

DHS782 / DHS783 190, 185 mm (7-1/2", 7-1/4")

- Brake
- Soft Start
- Built-in Job Light
- Carrying Case

Blade Diameter	190 / 185 mm (7-1/2" / 7-1/4")
Max Cutting Capacity	90°: 62.5 / 60 mm (2-7/16" / 2-3/8") 45°: 44.5 / 43 mm (1-3/4" / 1-11/16") 48°: 42 / 41 mm (1-5/8" / 1-5/8")
No Load Speed (RPM)	6,000
Max Output	1,800 W
Vibration Level	2.5 m/s ² or less
Sound Pressure Level	93 dB(A)
Sound Power Level	104 dB(A)
Dimensions (L x W x H)	348x210x290 mm (13-3/4"x8-1/4"x11-3/8")
Net weight	4.5 - 5.1 kg (9.9 - 11.3 lbs.)

Standard Equipment: TCT Saw Blade, Dust Nozzle, Hex Wrench, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201904