



Cordless Grass Trimmer
DUR368A Offset bike handle
DUR368L Loop handle

Satisfy Professional's Needs



More runtime
×
More safety

18v + 18v → 36v



DUR368A
Offset
bike handle

DUR368L
Loop handle

BL MOTOR ADT AFT XPT

ADT Automatic torque Drive Technology + **AFT** Active Feedback sensing Technology

High power as 25mL engine tool

18v + 18v → **36v**



Run time*		
Nylon cutting head		
Hi	Mid	Low
55	96	311
min		
with BL1850B x2		

*No load continuous run time (approx) : min

BL
MOTOR


Outer Rotor BL Motor provides high operating efficiency

Constant speed

Aluminum motor housing

Direct drive system for more power, more speed and longer run time

Hi rotation speed
6,500 min⁻¹



stator
rotor

Automatic torque Drive Technology

ADT

Automatically changes the cutting speed according to grass density.



Operation mode can be selected to suit the type of blade.

Plastic blade mode

Nylon cord mode

Work amount

on a single full battery charge


about
290 m²

with BL1850B x2

Work amount depends on the condition of battery, the type of grass, season, etc.

automatically changes the cutting speed according to load conditions for an optimum operation:

- On light duty: high-speed rotation mode
- On heavy duty: high torque mode





Multifunctional control panel:
near right hand position
for easy access and operation

Various indicator lamps

Reverse button / ADT

Main power button

eXtreme Protection Technology



Enhanced Dust and Drip-proof
Performance ensure reliable
operation even under bad weather

Active Feedback sensing Technology




Torque limiter turns the motor off if the tool is suddenly forced to lock

Reverse switch

Reverse switch for clearing entangled weeds and grass from cutting head



**DUR368A
Offset bike handle**



The vertical center line of the handle bar always stays aligned with that of user,
 • enabling user to work with less fatigue even in long continuous operation.
 • allowing for a wider swing.



Compatible with 3-blade plastic blade

The blade is of swing back type and protects the user and machine if it hits against hard or stationary objects.



**DUR368L
Loop handle**



18V+18V → 36V

18V LITHIUM-ION



Blower
DUB361 /
DUB362

Pruning Shear
DUP361 /
DUP362

Grass Trimmer
DUR364L / DUR365U
DUR366L / DUR368A
DUR368L

Hedge Trimmer
DUH483 / DUH523 /
DUH501 / DUH601 /
DUH751 / DUH502 /
DUH602 / DU752

Recipro Saw
DJR183 /
DJR185



Grass Trimmer
DUR184L / DUR187L /
DUR187U / DUR188L /
DUR188U / DUR189

String Trimmer
DUR181

Chain Saw
DUC252 / DUC252C / DUC302 /
DUC303 / DUC353 / DUC400 /
DUC305 / DUC355 / DUC405

Hedge Trimmer
DUH551
DUH651

Multi Function
Power Head
DUX60

Grass Shear
DUM604

Chain Saw
DUC122 / DUC204 /
DUC254 / DUC254C



Lawn Mower
DLM380 / DLM431 /
DLM460



1.5Ah 2.0Ah
3.0Ah 4.0Ah
5.0Ah 6.0Ah



Wheelbarrow
DCU180

Accessories

Nylon cord for better cutting performance

Part No. 196324-1
Cord/Line : 2.4mm x3.6m
Ref. : UN-74L



Part No. 197296-3
Cord/Line : 2.0mm x3m
Ref. : ECO 4L



Part No. 198892-0
Cord/Line : 2.0mm x3m
Ref. : 95-M10L



Green
Size Part No.
2.0mmx15m 197472-9
2.0mmx30m 197473-7
2.0mmx160m 197474-5
2.0mmx280m 197475-3

Part No. 197804-0
Cord/Line : 2.4mm x3m
Ref. : 95-M10L



Orange
Size Part No.
2.4mmx15m 198501-1
2.4mmx30m 198502-9
2.4mmx120m 198503-7
2.4mmx180m 198504-5

255mm Plastic blade Better cutting efficiency

Plastic blade Set
Part No. 198383-1
with nut
M10x1.25 LH



Replacement plastic blade
12pcs. set
Part No. 198427-7



Brushcutter blade

3-tooth blade
Part No. 195298-3
Blade dia. : 230mm
Thickness : 3.0mm



4-tooth blade
Part No. 195150-5
Blade dia. : 230mm
Thickness : 1.8mm



Protection guard for brushcutting blades

Exclusive
Part No. 197294-7



Shoulder strap assembly

Comfort Single
Part No.122906-3 Part No.125516-5



Cordless Grass Trimmer

DUR368A Offset bike handle / DUR368L Loop handle

	DUR368A	DUR368L
Brake	Yes	Yes
Reversing	Yes	Yes
Electronic 3-Speed	Yes	Yes
Constant Speed	Yes	Yes
Soft Start	Yes	Yes
Cutting Width	Metal Blade: 230 mm (9") Trimmer Head: 350 mm (13-3/4") Plastic Blade: 255 mm (10")	Metal Blade: 230 mm (9") Trimmer Head: 350 mm (13-3/4") Plastic Blade: 255 mm (10")
No Load Speed (RPM)	Manual mode: High / Med / Low: 6,500 / 5,300 / 3,500 ADT mode: 3,500 - 6,500	Manual mode: High / Med / Low: 6,500 / 5,300 / 3,500 ADT mode: 3,500 - 6,500
Spindle Size	M10 x 1.25 LH	M10 x 1.25 LH
Dimensions (L x W x H)	1,758x615x442 mm (69-1/4"x24-1/4"x17-3/8")	1,758x362x231 mm (69-1/4"x14-1/4"x9-1/8")
Net weight	4.1 - 4.7 kg (9.0 - 10.5 lbs.)	3.9 - 4.5 kg (8.6 - 10.0 lbs.)

Standard Equipment : Safety Goggles, Metal Blade / Nylon Cutting Head / Plastic Blade (country-specific), Blade cover (for the product with metal blade), Accessory Bag, Hex Wrench, Box Driver, Shoulder Belt, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201907