



# Incredibly high power over 25mL engine blower 2 in 1 Blower & Vacuum cleaner







### **Blower**

#### Mode 2

Recommended for blower use, with a max blowing force of 14.4N.



# 2 in 1 Blower & '



DUB362's extension nozzle and flat nozzle can be connected without adapter.



#### 3-stage telescopic long

nozzle with an adjustment range of 100mm (4")



Max air volume

13.4<sub>m³/min</sub>

Max air velocity

 $65_{\text{m/s}}$ 

#### For Vacuum cleaner

Max air volume

12.7<sub>m³/min</sub>

Max sealed suction

3.2<sub>kPa</sub>



#### **Mulching function**

A shredding blade cuts sucked fallen leaves into fine mulch, while drastically reducing the volume of the leaves for much less frequent emptying.



Shredding blade



## Vacuum cleaner



#### **Motor interlock system**

The motor does not start up until the nozzle and fan cover have been properly installed.

#### Variable speed control by trigger, with Cruise control lever for lock-on operation

Cruise control lever allows you to lock the variable speed control trigger at a



desired power level to obtain the convenience similar to that of engine blowers.



#### 2 Power modes

Mode 1: Low Mode 2: High



#### **Sub handle**

makes it easier to hold the machine sideways both in blower and vacuum applications.

### Vacuum

#### Mode 1

Recommended for vacuum use, with a max blowing force of 7N.

And thanks to the proper suction power:

- · Able to suction fallen leaves, and not able to suction stones.
- · Able to perform a long continuous operation





#### Accessories



<u> </u>			<b>Cordless Blower</b>	DUB363	
[Uniterion]	DC18RC DC18RD	DC18SD	Variable Speed	Max Air Volume Max Air Velocity	13.4 m³/min (473 CFM) 65 m/s
<b>BL1815N</b> 1.5Ah	15 min	30 min	Constant Speed  Soft Start	No Load Speed (RPM) Blowing Force Sound Pressure Level	0 - 7,850 14.4 N 84.8 dB(A)
<b>BL1820B</b> 2.0Ah	24 min	45 min	Soft Start	Sound Power Level Vibration Level	94.0 dB(A)  Operation w/o Load (Blowing): 2.5 m/s² or less  Operation w/o Load (Vacuuming): 2.5 m/s² or less
<b>BL1830B</b> 3.0Ah	22 min	60 min		Dimensions (L x W x H)	w/ 3-Stage Telescopic Long Nozzle: 737/786/836x193x415 mm
<b>BL1840B</b> 4.0Ah	36 <sub>min</sub>	90 min		Net weight	(7-7/16"/31"/33"x7-5/8"x16-3/8") w/ Vacuum Nozzle: 1,396x604x415 mm (55"x23-3/4"x16-3/8") 4.5-6.6 kq (9.9-14.6 lbs.)
<b>BL1850B</b> 5.0Ah	45 min	110 min	Standard Equipment: Vacuum kit, Flat Nozzle, End Nozzle, Pipe, Shoulder Belt, Hex Wrench, Battery, Charger		
<b>BL1860B</b> 6.0Ah	55 min	130 min	The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.  Items of standard equipment and specifications may vary by country or area.		

#### Makita Corporation