



Cordless Vacuum Cleaner Series



DVC155L / DVC156L / DVC157L 15L

DVC865L / DVC866L / DVC867L 8L



Photo: DVC865L

18v + 18v → 36v

High power & Low noise



Photo: DVC157L



Photo: DVC866L

Max sealed suction
11 kPa
Dial mode: 5

Low noise
55 dB
Dial mode: 1

BL MOTOR **XPT** **AWS** **HEPA** filter

└─ DVC157L / DVC867L only ─┘

Makita low noise vacuum cleaner

Max sealed suction

11 kPa


Dial mode: 5

Low noise

55 dB

Dial mode: 1

Increased suction power achieved by redesigned motor



Large on-off switch allows for easy on/off switching

Dual battery fuel gauge

Main power switch

Variable suction power control by dial
Suction power is variably adjustable to suit application.



BL
MOTOR

Brushless motor

New cloth filter for dry use designed for the building maintenance industry
DVC156L / DVC866 only

Features a simple structure assuming use of paper dust bag.



Paper dust bag

Cloth filter set



Telescopic pipe with lock

- A locking mechanism has been added to the connection of bending pipe and this pipe to prevent from falling off.
- Available in lightweight plastic and rigid aluminum


Telescoping button slide button style

Mode switching lever

For hard floor For carpet



48mm



For Cleaning

Wet & Dry

BL XPT
MOTOR

DVC155L

Tank capacity
15 L

DVC865L

Tank capacity
8 L



Dry only

BL XPT
MOTOR

DVC156L

Tank capacity
15 L

DVC866L

Tank capacity
8 L



ner series




Low noise

Disturbing noises like wind noise have been reduced by redesigning air vents and air paths.



Designed to run stably

A support leg with two rollers has been added to tool box. When you run the cleaner by pulling the hose, the rollers prevent it from tipping over backward.



Continuous use
100 / 40 min

Dial mode: 1 / 5
Battery: BL1860B x 2
ø32 x 1.7m hose

For Cleaning



Photo: DVC865L

For Dust Collecting




Photo: DVC867L

For Dust Collecting

Dry only

AWS **BL** **XPT**
MOTOR
HEPA
filter

DVC157L

Tank capacity
15 L

DVC867L

Tank capacity
8 L



AWS Auto-start Wireless System DVC157L / DVC867L only

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



AWS connects to power tool with Bluetooth

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Makita is under license. Other trademarks and trade names are those of their respective owners.

Accessories

with front sleeve
Hose connection 28
Hose connection 38

Cordless Vacuum Cleaner


Cleaning set
 -Hose complete 38-2.5
 -Straight pipe
 -Bending pipe
 -Nozzle assembly
 -Corner nozzle
 195439-1

Bending pipe
 192562-3

Straight pipe
 192563-1

38mm Tip attachments
Nozzle assembly
 Flooring&carpet ,Flat type
 191G87-6
Nozzle assembly Flat type (Dry)
 199455-5
F/C switching t-nozzle Flooring & carpet (Dry)
 198533-8
Universal type (Dry/ Wet)
 195551-7
Compact type A (Dry)
 195549-4
Round brush
 191657-9
Corner nozzle
 410306-2

Hose 38mm
 1.5m 199388-4


Hose 32mm
 1.7m 199493-7


Hose 28mm
 1.5m 144408-9 5.0m 195436-7
 1.5m 152992-0 5.0m A-34229
 2.5m 195437-5
 3.5m 195433-3


Hose 38mm
 1.5m 198757-6
 2.5m 195434-1
 5m 195435-9


Front cuffs 22
 195547-8


Tapered nozzle set
 192236-6
 198558-2


Bent pipe assembly with pipe lock without sleeve
 140G26-3


Bent pipe assembly with pipe lock with sleeve
 127093-3


Bent pipe without sleeve
 458184-2


Bent pipe assembly with sleeve
 126756-8


Aluminum joint pipe (L=465mm)
 199844-4


Aluminum straight pipe 32 (L=465mm)
 199843-6
 for others vacuum cleaner
 nozzles 32mm (1-1/4")


Front cuffs 38
 195545-2


Front cuffs 22
 195547-8


Joint 22-38
 195548-6


Front cuffs 24
 195546-0


Straight pipes with pipe lock
Aluminum Telescopic pipe 28 (L=590-942mm)
 140G19-0


Plastic Telescopic pipe 28
 127605-2


Straight pipes
Plastic Telescopic pipe 28 (L=500-850mm)
 198559-0


28mm Tip attachments
Nozzle assembly
 191G86-8


Nozzle assembly
 Flat type (Dry)
 199454-7


F/C switching t-nozzle
 Flooring & carpet (Dry)
 198532-0


Seat nozzle 28
 For automobile
 199038-1


Seat nozzle 120 set
 For automobile
 140H95-0


Mat nozzle 120
 For automobile
 459056-4


Round brush
 198878-4


Shelf brush
 198873-4


Soft brush 360 complete set
 140H94-2


Attachments


Corner nozzle 330
 198919-6


Rubber nozzle* 330 set
 *422437-5


Flexible rubber* nozzle 28
 *197901-2


Crevice nozzle 415
 199439-3


*These nozzles cannot be attached directly to Bending pipe assembly use with telescopic pipes or straight pipes.

Filter complete, Pre filter and Damper

| | | | | |
|--|--|--|---|--|
| Filter complete Dry only Part No. 197166-6  | Pre-filter set Part No. 195553-3  | Cloth filter set DVC156L / DVC866 only Part No. 191G88-4  | Cloth filter Part No. 140248-3  | Damper set Part No. 195552-5  |
| Filter for water set Water only Part No. 195555-9  | Paper filter set (5pcs) for dry dust except powder Part No. 194556-4 (A-48430)  | Dust paper filter 7L (5pcs) for dry powder Part No. 194719-2 (A-49541)  | Filter bag set 15L (5pcs) for dry powder Part No. 195557-5  | Poly bag set (10pcs) Part No. 195432-5  |

Cordless Vacuum Cleaner

DVC155L / DVC156L / DVC157L / DVC865L / DVC866L / DVC867L

| | | DVC155L / DVC156L / DVC157L | DVC865L / DVC866L / DVC867L |
|--|-------------------------------|--|---|
|  Variable Speed | Capacity | DVC155L: Dust / Water: 15 / 12 L DVC156L / DVC157L: Dust: 15 L | DVC865L: Dust / Water: 8 / 6 L DVC866L / DVC867L: Dust: 8 L |
|  Revolving Hose | Continuous Use (min.) | w/ BL1860B: 100 | w/ BL1860B: 100 |
|  Static Free Hose | Max Air Flow | DVC155L / DVC156L: 2.1 m³/min, DVC157L: 2.4 m³/min | DVC865L / DVC866L: 2.1 m³/min, DVC867L: 2.4 m³/min |
| | Max Sealed Suction | 11 kPa | 11 kPa |
| | Suction Power | DVC155L / DVC156L: 105 W / DVC157L: 110 W | DVC865L / DVC866L: 105 W / DVC867L: 110 W |
| | Vibration Level | 2.5 m/s² or less | 2.5 m/s² or less |
| | Sound Pressure Level | 70 dB(A) or less | 70 dB(A) or less |
| | Dimensions (L x W x H) | 366x334x421 mm (14-3/8"x13-1/8"x16-1/2") | 366x334x368 mm (14-3/8"x13-1/8"x14-1/2") |
| | Net weight | DVC155L: 7.2 - 7.9 kg (15.9 - 17.4 lbs.) / DVC156L: 7.3 - 7.9 kg (16.1 - 17.4 lbs.) / DVC157L: 8.0 - 8.6 kg (17.6 - 19.0 lbs.) | DVC865L / DVC866L: 7.0 - 7.7 kg (15.4 - 17.0 lbs.) / DVC867L: 7.7 - 8.4 kg (17.0 - 18.5 lbs.) |

Standard Equipment: Plastic Dust Bag x10, Tool Box, Battery, Charger, Wireless Unit (DVC157L/DVC867L)

Country-specific: Hose Complete, Telescopic Pipe Assembly, Bent Pipe, Pipe, Long Sash Nozzle, Nozzle Assembly, Corner Nozzle, Front Cuffs (22, 24, 38)

The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202005