



# Cordless Vacuum Cleaner

VC001GL / VC003GL Wet & Dry

VC002GL / VC004GL Airborne particles

VC005GL Dry (for building maintenance industry)



photo: VC003GL

photo: VC002GL

Low noise  
**46 dB(A)**  
 Dial mode: 1  
 Model: VC001GL

## For Cleaning

Wet & Dry

**BL MOTOR XPT**

VC001GL  
 8L

VC003GL  
 15L

## For Dust Collecting

Airborne particles

**HEPA filter BL MOTOR AWS CRYSTAL XPT**

VC002GL  
 8L

VC004GL  
 15L

## For Cleaning

Dry (for building maintenance industry)

**BL MOTOR XPT**

VC005GL  
 8L



Excellent Vacuum performance equivalent to Corded models achieved by improving cooling efficiency against more heat generation from electrical parts due to the increased output power.



photo: VC003GL

Powered by 40Vmax XGT Li-Ion battery (two in parallel)

photo: VC001GL



Continuous use  
Battery: BL4050F x2

**220min**  
Dial mode: 1

**28min**  
Dial mode: 5



Automatically switches to the second battery when the first battery runs out.

## For Cleaning

Wet & Dry



Telescopic pipe with lock  
VC001GL / VC003GL / VC005GL  
(country-specific)

- A locking mechanism has been added to the connection of bending pipe and this pipe to prevent from falling off.
- Available in lightweight plastic and rigid aluminum




The lower profile makes it easier to clean under furnitures.  
VC001GL / VC003GL / VC005GL  
(country-specific)

**48 mm**



Mode switching lever  
VC001GL / VC003GL / VC005GL  
(country-specific)  
Hard floor/carpet mode switchable



For hard floor

For carpet



photo: VC004GL



photo: VC005GL

## For Dust Collecting

Airborne particles

**HEPA** filter **BL** MOTOR **AWS** **GYPPA!** **XPT**



VC002GL  
8L



VC004GL  
15L

## For Cleaning

Dry (for building maintenance industry)

**BL** MOTOR **XPT**



VC005GL  
8L



## **AWS** Auto-start Wireless System VC002GL / VC004GL

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



## New 8L tank VC005GL

- Compact tank reduces the overall height of the cleaner.
- Rear wheels attached to the tank have been increased in size to reduce the risk of the machine from tipping over and to enhance the stability of straight running.

Rear wheel size  
ø **120** mm



**High Power  
Durability  
Digital Communication**



**Accessories**

**Filter for water set**

Model: VC001GL, VC003GL  
Part No. 191V67-2



**Damper set**

Model: VC002GL, VC004GL  
Part No. 191V68-0



**Pre filter set**

Model: VC002GL, VC004GL  
Part No. 191V69-8



**Powder filter H set**

Model: VC002GL, VC004GL  
Part No. 191V70-3



**Cloth filter set**

Model: VC001GL, VC003GL,  
VC002GL, VC004GL  
Part No. 144625-1  
  
Model: VC005GL  
Part No. 191V71-1



**Poly bag set (10pcs)**

Part No. 195432-5



**Filter bag set 15L (5pcs)**

Part No. 195557-5



**MAKPAC adapter set**

Part No. 198730-6 / 198599-8 (EU)



**Charging Time**

| 40V <sup>LI-ION</sup> max | Fast Charging |         |
|---------------------------|---------------|---------|
|                           | DC40RA        | DC40RC  |
| BL4020 2.0Ah              | 22 min        | 30 min  |
| BL4025 2.5Ah              | 28 min        | 38 min  |
| *1BL4040 4.0Ah            | 45 min        | 67 min  |
| *1BL4050F 5.0Ah           | 50 min        | 85 min  |
| *1BL4080F 8.0Ah           | 76 min        | 170 min |

\*1 Recommended battery

**Cordless Vacuum Cleaner**

**VC001GL / VC002GL / VC003GL / VC004GL / VC005GL**

|                  | VC001GL  | VC002GL | VC003GL | VC004GL | VC005GL |
|------------------|--|---------|---------|---------|---------|
| Variable Speed   | Capacity Dust / Water: 8 / 6 L                           |         |         |         |         |
| Revolving Hose   | Dust: 8 L  |         |         |         |         |
| Static Free Hose | Max Air Flow 3.2 m <sup>3</sup> /min                     |         |         |         |         |
|                  | Max Sealed Suction 23 kPa                                |         |         |         |         |
|                  | Continuous Use (min.) w/ BL4050F at Dial 1 / 5: 220 / 28 |         |         |         |         |
|                  | 2.5 m/s <sup>2</sup> or less                             |         |         |         |         |
|                  | 70 dB(A) or less   |         |         |         |         |
|                  | Dimensions (L x W x H) 366 x 334 x 425 mm                |         |         |         |         |
|                  | Net weight 8.1 - 11.2 kg (17.9 - 24.7 lbs.)              |         |         |         |         |

**Standard Equipment** : ALL: Floor Nozzle, Straight Pipe, Bent Pipe, Hose, Plastic Dust Bag, Stopper, Multi Hook, Battery, Charger

VC001GL / VC003GL: Plastic Dust Bag x10, Telescopic pipe assembly, Long Sash Nozzle

VC002GL / VC004GL: Plastic Dust Bag x10, Front Cuff (country-specific)

VC005GL: Paper Dust Bag, Telescopic pipe assembly, Long Sash Nozzle

The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table.

Items of standard equipment and specifications may vary by country or area.

**Makita Corporation**

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202201