

Image: Statisty Protection Statisty Protection Image: Statisty Protection Cordless Backpack Image: Statisty Protection Vacuum Cleaner Image: Statisty Protection VC009G







Thakita.



VC009G For Dust Collecting





Max Air Flow VC009G VC008G 2.4 / 1.9 m³/min **Max Sealed Suction** 18 kPa







For Cleaning vcoosg





HEPA Filter is used as the main filter to capture very fine particles effectively.

Thakita.

Able to capture 99.97% of particles as small as 0.3-1 µm





Loop

The loop on the lower belt can be used for carrying nozzles as illustrated.







When the filter bag/dust bag is not installed in the cleaner, the front cover does not close completely.

Anti-forgetting mechanism for paper dust bag installation

Carrying hook With a handle convenient for carrying

Comfortable harness designed to reduce stuffiness of shoulders, back and waist

Mesh material is used for the back surfaces that touch shoulders, back and waist, reducing stuffy feeling.

VC008G

VC009G



For Dust Collecting vcoopg

LED job light

Controller

Power mode pre-selection (with mode memory function) The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.

Low noise level

Mode	Noise level
4	72 dB(A)
3	66 dB(A)
2	63 dB(A)
1	60 dB(A)

Math convenient for operation in dark job sites

OFF switch

With remaining battery capacity display

Telescopic pipe with lock

• A locking mechanism has been added to the connection of bending pipe and this pipe to prevent from falling off.

Available in lightweight

plastic and rigid aluminum

Locking mechanism

Telescoping button

The lower profile makes it easier to clean under furnitures.



Mode switching lever Hard floor/carpet mode switchable



Controller

Power mode pre-selection (with mode memory function) The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.

Low noise level

Mode	Noise level
3	72 dB(A)
2	66 dB(A)
1	63 dB(A)





OFF switch

display

With remaining battery capacity



Auto-start Wireless System

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.







🔀 Bluetooth"

AWS connects to power tool with Bluetooth The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Makita is under license. Other trademarks and trade names are those of their respective owners.





Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan