



**Cordless Radio with Lantern**  
**MR010G / MR009G**  
**DMR057 / DMR056 / DMR055**



**40V LXT LITHIUM-ION max**

**18V LITHIUM-ION**



photo: MR010G



**MR010G / MR009G**

Lantern  
**20 LEDs**

Light tone and color  
**Daylight white**

Flashlight  
**1 LEDs**

**Neutral white**  
**Warm white**



MR009G

MR010G



**DMR057 / DMR056**

Lantern  
**20 LEDs**

Light tone and color  
**Daylight white**

Flashlight  
**1 LEDs**

**Neutral white**  
**Warm white**



DMR057

DMR056



**DMR055**

Lantern  
**20 LEDs**

Light tone and color  
**Warm white**



▲ MR010G / MR009G /  
DMR057 / DMR056



▲ MR009G /  
DMR056



**XGT****40V** Li-ion  
**max****18V**  
**LITHIUM-ION**

photo: MR010G



photo: DMR057



photo: DMR057

## Cordless Radio with Lantern



photo: MR009G

**MR010G / MR009G**Bluetooth dab+ **XPT**  
▲ MR009G

Lantern <b>20 LEDs</b>	Light tone and color <b>Daylight white</b>
Flashlight <b>1 LEDs</b>	<b>Neutral white</b> <b>Warm white</b>



photo: DMR057

**DMR057 / DMR056**Bluetooth dab+ **XPT**  
▲ DMR056

Lantern <b>20 LEDs</b>	Light tone and color <b>Daylight white</b>
Flashlight <b>1 LEDs</b>	<b>Neutral white</b> <b>Warm white</b>

**DMR055****XPT**

Lantern <b>20 LEDs</b>	Light tone and color <b>Warm white</b>
---------------------------	---

## Continuous run time (approx) On a single full battery charge

MR010G (with BL4050F)				DMR057 (with BL1850B)				with BL1850B		
Radio	Radio+Lantern	Lantern	Flashlight	Radio	Radio+Lantern	Lantern	Flashlight	Radio	Radio+Lantern	Lantern
<b>51 h</b>	<b>21 h</b>	<b>34 h</b>	<b>66 h</b>	<b>44 h</b>	<b>12 h</b>	<b>16 h</b>	<b>30 h</b>	<b>52 h</b>	<b>12 h</b>	<b>16 h</b>
MR009G (with BL4050F)				DMR056 (with BL1850B)						
Radio	Radio+Lantern	Lantern	Flashlight	Radio	Radio+Lantern	Lantern	Flashlight			
<b>58 h</b>	<b>21 h</b>	<b>34 h</b>	<b>66 h</b>	<b>52 h</b>	<b>12 h</b>	<b>16 h</b>	<b>30 h</b>			



# Cordless Radio with Lantern that can be used at work, play, or anytime

## Lantern with 3 light tone settings

MR010G / MR009G / DMR057 / DMR056 only



### Warm white

You will feel relaxed.  
(about 2,500K)

### Neutral white


(about 3,500K)

### Daylight white

You can easily read what is written / printed.  
(about 5,000K)

## Switch

MR010G / MR009G / DMR057 / DMR056 DMR055



- Brightness setting button (2 stages)  
(MR010G / MR009G / DMR057 / DMR056 only)
- Lantern light tone setting button (3 tones)  
(MR010G / MR009G / DMR057 / DMR056 only)
- On/off and Mode select button

## USB output port

MR010G / MR009G / DMR057 / DMR056 only

- With USB output switch
- With Auto-off function
- Type A, 1 port, DC5V/ 2.4A



## Multi functions

MR010G / MR009G / DMR057 / DMR056

Lantern	Flashlight	FM radio (9 stations)
dab+ (9 stations)	USB output port	Bluetooth

▲ MR009G  
DMR056 only

### DMR055

Lantern	AM / FM radio (9 stations)
---------	-------------------------------

## Foldable hanging hook



Strap with hook allows to illuminate downwards, for example, from the ceiling to the floor

## Flashlight

MR010G / MR009G / DMR057 / DMR056 only



- Daylight white single LED
- Brightness settings (2 stages)

Lens guard also works as an FM antenna.

LCD digital display



# XPT

photo: MR009G

## Comfort/Lifestyle Line up

### Cordless Job Site Speaker

#### DMR203

18V  
12V max



#### DMR202

18V  
12V max  
USB



#### DMR201

18V  
12V max  
USB



#### DMR200

18V  
12V max



## Continuous run time (approx): hour

On a single full battery charge

Model No.	MR010G					DMR057					
	40Vmax					18V					
Battery	PDC1200	BL4020	BL4025	BL4040	BL4050F	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B
Radio	477	23	28	41	58	15	20	28	40	52	63
Flashlight (H/L)	538/997	26/49	31/58	46/86	66/122	9.0/17	12/23	16/32	23/45	30/58	37/70
Lantern (4 sides/3 sides)	277/380	13/18	16/22	24/33	34/47	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26
Radio+Lantern (4 sides)	176	8.5	10	15	21	3.5	4.5	6.5	9.5	12	14

Model No.	MR009G					DMR056						DMR055					
	40Vmax					18V											
Battery	PDC1200	BL4020	BL4025	BL4040	BL4050F	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B
Radio	340	20	24	36	51	13	17	24	34	44	53	15	20	28	40	52	63
Flashlight (H/L)	440/813	26/49	31/58	46/86	66/122	9.0/17	12/23	16/32	23/45	30/58	37/70	-	-	-	-	-	-
Lantern (4 sides/3 sides)	227/313	13/18	16/22	24/33	34/47	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26
Radio+Lantern (4 sides)	140	8.0	10	14	21	3.5	4.5	6.5	9.0	12	14	3.5	4.5	6.5	9.0	12	14

## Charging Time

MR010G / MR009G

PDC1200	360 min	DC4001	DC40RA	DC40RC
BL4025 2.5Ah	28 min	38 min		
BL4040 4.0Ah	45 min	67 min		
BL4050F 5.0Ah	50 min	85 min		

DMR057 / DMR056 / DMR055

BL1815N 1.5Ah	15 min	30 min	BL1840B 4.0Ah	36 min	90 min
BL1830B 3.0Ah	22 min	60 min	BL1860B 6.0Ah	55 min	130 min

## Cordless Radio with Lantern

### MR010G / MR009G / DMR057 / DMR056 / DMR055

	MR010G / MR009G / DMR057 / DMR056	DMR055
Standard Equipment : Strap Hook	Frequency Band FM: 87.5-108 MHz / DAB: 174.928-239.200 MHz / DAB+: 174.928-239.200 MHz (DAB/DAB+: MR009G/DMR056 only)	FM: 87.5-108 MHz / AM: 522-1,710 kHz
Battery and charger are sold separately	Speaker Size Ø57 mm	Ø57 mm
	Illuminance Lantern, Daylight white, 4 sides, High / Low: 145 / 72 or more lx Lantern, Neutral white, 4 sides, High / Low: 140 / 70 or more lx Lantern, Warm white, 4 sides, High / Low: 130 / 65 or more lx Flashlight, High / Low: 1,000 / 500 or more lx	Lantern, Warm white, 4 sides, High: 130 or more lx
	Luminous flux Lantern, Daylight white, 4 sides, High / Low: 310 / 155 or more lm Lantern, Neutral white, 4 sides, High / Low: 300 / 150 or more lm Lantern, Warm white, 4 sides, High / Low: 260 / 130 or more lm Flashlight, High / Low: 200 / 100 or more lm	Lantern, Warm white, 4 sides, High: 260 or more
	Bluetooth Version: 5.0 Profile: A2DP, SCMS-T, AVRCP Supported Codec: MR010G / DMR057: SBC, MR009G / DMR056: SBC / AAC Max Transmission Range (Optimum): 10 m (33 ft) Transmission Power Class: 2 / Compatible Bluetooth Profile: A2DP	-
	Dimensions (L x W x H) w/o Battery: 126 x 127 x 240 mm (5 x 5 x 9-1/2") MR010G / MR009G: 1.6 - 2.2 kg (3.5 - 4.9 lbs.) DMR057 / DMR056: 1.3 - 1.6 kg (2.9 - 3.5 lbs.)	w/o Battery: 126 x 127 x 240 mm (5 x 5 x 9-1/2") 1.2 - 1.6 kg (2.7 - 3.5 lbs.)

Not covered by EPTA-Procedure

Items of standard equipment and specifications may vary by country or area.

# Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202208