



Cordless Steel Rod Cutter SC001G



40V^{Li-ion} max

Excellent cutting speed

Cuts $\varnothing 16\text{mm}$ rebar in approx. 1.7 sec.

Cutting speed

Increased by approx.

65%

Compared to our 18V model /
when cutting $\varnothing 16\text{mm}$ rebar

Lightweight at

6.0 kg

With BL4025 battery

Overall length

321 mm





Efficient on-site performance for reduced project duration


Cutting speed comparison

(Material: ø16 mm rebar)

SC001G	165
Our 18V model	100

Slow Cutting speed Fast


Compact, Lightweight, and Easy to Carry



Compact hydraulic unit + Brushless motor



Overall length
-39 mm



Accessories

Cutter block 2pcs set

Part No.
SC09003470



Hydraulic oil

35mL	SC09003270
150mL	SC09003280
500mL	SC09003330

Charging Time

	DC40RA	DC40RC
Fast Charging		
*1 BL4020 2.0Ah	22 min	30 min
*1 BL4025 2.5Ah	28 min	38 min
*1 BL4040/F 4.0Ah	45 min	67 min
*1 BL4050F 5.0Ah	50 min	85 min
*1 BL4080F 8.0Ah	76 min	170 min

*1 Recommended battery

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combinations are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Cordless Steel Rod Cutter

SC001G

Carrying Case	Cutting capacity	Dia.: 3 - 16 mm (1/8" - 5/8")
	Cutting speed (sec)	1.7
	Maximum number of cuts	(ø16mm rebar): 250
	Dimensions	321 x 103 x 285 mm
	(L x W x H)	(12-5/8 x 4-1/16 x 11-1/4")
	(Battery)	BL4025
	Net weight	6.0 - 7.2 kg (13.2 - 15.9 lbs.)
	(Battery)	BL4020-BL4080F

Standard Equipment: Hex wrench, Wrench

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202508



www.makita.com